

























PRE- MARCOS

Complementos

Perfil	Código	Descripción	Peso (Kg/m)	Perímetro mm.	Inercia (cm ⁴)
	2797	Premarco de 59 mm	0.505	232	Ix: 0.81 Iy: 4.36
	2798	Premarco de 151.1 mm	1.201	511	Ix: 1.47 Iy: 101.08
	3578	Premarco de 36 mm	0.321	196	Ix: 0.64 Iy: 1.45
	3738	Premarco de 50 mm	0.389	237	Ix: 0.73 Iy: 2.74
	3925	Premarco de 50 mm	0.410	250	Ix: 0.88 Iy: 3.63
	2736	Premarco de 60 mm	0.494	302	Ix: 1.09 Iy: 6.29
	4375	Premarco de 60 mm	0.481	271	Ix: 1.04 Iy: 4.97
	3664	Premarco de 70 mm	0.483	281	Ix: 0.83 Iy: 7.22
	3579	Premarco de 116.3 mm	0.651	369	Ix: 0.96 Iy: 29.27
	4376	Premarco de 120 mm	0.732	414	Ix: 1.53 Iy: 32.64
	3594	Premarco de 122.4 mm	0.815	440	Ix: 2.23 Iy: 48.22
	3713	Premarco de 131.4 mm	0.729	410	Ix: 1.17 Iy: 45.86
	3739	Premarco de 133 mm	0.737	415	Ix: 1.04 Iy: 44.78
	4536	Premarco de 133.4 mm	0.772	435	Ix: 1.88 Iy: 55.70
	3828	Premarco de 136 mm	0.740	416	Ix: 1.02 Iy: 49.14
	4608	Premarco de 140 mm	1.115	497	Ix: 8.29 Iy: 96.09



Perfil	Código	Descripción	Peso (Kg/m)	Perímetro mm.	Inercia (cm ⁴)
	3777	Premarco de 146.4 mm	0.848	443	Ix: 1.19 Iy: 65.62
	4590	Premarco de 150 mm	0.842	446	Ix: 1.26 Iy: 69.19
	3665	Premarco de 160 mm	1.021	518	Ix: 1.56 Iy: 84.18
	4644	Premarco de 160 mm	1.151	494	Ix: 2.22 Iy: 107.81
	4645	Premarco de 180 mm	1.252	535	Ix: 2.24 Iy: 147.85
	3731	Premarco de 36.4 mm	0.419	235	Ix: 0.57 Iy: 2.08
	3732	Premarco de 40.2 mm	0.462	259	Ix: 0.67 Iy: 2.65
	3733	Premarco de 50.4 mm	0.516	290	Ix: 0.73 Iy: 4.71





Campaña s/n
36645, Valga
Pontevedra - España
(0034) 986 564 009
edificacion@extrugasa.com
www.extrugasa.com