













LINTELS

Complements

Profile	Code	Description	Weight (Kg/m)	Perimeter mm.	Inertia (cm ⁴)
	2954	21.2 mm lintel	0.203	110	lx: 0.23 ly : 0.48
	2503	16 mm lintel	0.225	111	lx: 0.17 ly: 0.27
	3094	26 mm lintel	0.240	127	lx: 0.18 ly: 0.86
	2284	52 mm lintel	0.362	182	lx: 0.22 ly: 4.96
	2765	82 mm lintel	0.467	240	lx: 0.24 ly: 15.20
	200	49 mm lintel	0.305	165	lx: 0.17 ly: 3.41
	201	65 mm lintel	0.359	194	lx: 0.18 ly: 6.96
	3511	32.5 mm lintel	0.265	151	lx: 0.28 ly: 1.46
	3815	50 mm lintel	0.327	186	lx: 0.33 ly: 4.16
	3585	102.5 mm lintel	0.510	291	lx: 0.39 ly: 24.45
	3779	90 mm lintel	0.589	309	lx: 0.85 ly: 22.49
	3780	100 mm lintel	0.626	329	lx: 0.88 ly: 29.05



Campaña s/n
36645, Valga
Pontevedra - Spain
(0034) 986 564 009
edificacion@extrugasa.com
www.extrugasa.com